

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	3185	"H 264"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/31 15:59
S2	16	S1 and (dct same ("8x8" or "8X8" or "8*8" or 8-by-8))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/31 16:00
S3	62	S1 and (approximat\$3 with dct)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/31 16:13
S4	4	S1 and (approximat\$3 with dct with basis)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/31 16:13
S5	3	S1 and (dct with basis with vector\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/31 16:26
S6	0	"12 / 8 10 / 8 6 / 8 3 / 8 - 3 / 8 - 6 / 8 - 10 / 8 - 12 / 8"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/31 16:27
S7	0	"12 / 8" "10 / 8" "6 / 8" "3 / 8" "- 3 / 8" "- 3 / 8" "- 6 / 8" "- 10 / 8" "- 12 / 8"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	AND	ON	2008/03/31 16:28
S8	21	"12/8" "10/8" "6/8" "3/8" "- 3/8" "-6/8" "-10/8" "-12/8"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	AND	ON	2008/03/31 16:29
S9	245	S1 and ("12" same "8" same "10" same "6" same "3")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	AND	ON	2008/03/31 16:35

S10	10	S1 and (dct same ("12" same "8" same "10" same "6" same "3"))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	AND	ON	2008/03/31 16:36
S11	0	frank-bossen.in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/31 16:51
S12	24	(scaling with block with coefficient\$1 with scaling with factor).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/31 16:53
S13	1	(scaling with block with coefficient\$1 with scaling with factor with index with quantization).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/31 16:53
S14	68	"H.264" and (basis with dct)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/31 17:40
S15	68	"H.264" and ("basis" with dct)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/31 17:41
S16	1	"H.264" and ((basis adj vector\$1) with dct)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/31 17:42
S17	1	"5168375".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/31 17:45
S18	0	("7242713").URPN.	USPAT	OR	ON	2008/03/31 17:45

S19	33	("20020154693" "5168375" "5325215" "5357594" "5379351" "5430556" "5590066" "5864637" "5970173" "5995539" "6002801" "6029126" "6057855" "6058215" "6073153" "6115689" "6154762" "6301304" "6324560" "6363117" "6370502" "6473534" "6487574" "6496795" "6507614" "6600785" "6687726" "6694342" "6701019" "6728317" "6831951" "6882685" "7123655"). PN. OR ("7242713").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/03/31 17:45
S20	61	S1 and (DCT\$1like or (DCT near2 approximat\$3))	US-PGPUB; USPAT; USOCR	OR	ON	2008/03/31 17:46
S21	239	S1 and (("h.264" or "h.26L") with dct)	US-PGPUB; USPAT; USOCR	OR	ON	2008/03/31 17:49
S22	8	S1 and (("h.264" or "h.26L") with dct with itu-t)	US-PGPUB; USPAT; USOCR	OR	ON	2008/03/31 17:52
S23	5	S1 and (("h.264" or "h.26L") with dct with pseudo\$1dct)	US-PGPUB; USPAT; USOCR	OR	ON	2008/03/31 17:52
S24	2	S1 and (("h.264" or "h.26L") with dct with ("8x8" or "8X8" or "8*8"))	US-PGPUB; USPAT; USOCR	OR	ON	2008/03/31 17:53
S25	3	S1 and (("h.264" or "h.26L") same (dct with ("8x8" or "8X8" or "8*8")))	US-PGPUB; USPAT; USOCR	OR	ON	2008/03/31 17:54
S26	3341	("h.264" or (mpeg-4 adj (part adj "10") or "10")) or 14496-10 or (mpeg-4 adj avc))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/04/01 09:13
S27	21	S26 and dequantiz\$5 and (inverse adj transform\$5) and scal\$3 and ((look\$1up adj table) or LUT)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/04/01 09:14
S28	47	S26 and quantiz\$5 and (inverse adj transform\$5) and scal\$3 and ((look\$1up adj table) or LUT)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/04/01 09:17

S29	102	S26 and quantiz\$5 and (transform\$5) and scal\$3 and ((look\$1up adj table) or LUT)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/04/01 09:17
S30	80	S26 and quantiz\$5 and (transform\$5) and scal\$3 and ((look\$1up adj table) or LUT) and dct	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/04/01 09:18
S31	54	S26 and (de\$1quantiz\$5 or (inverse adj quantiz\$5)) and (transform\$5) and scal\$3 and ((look\$1up adj table) or LUT) and dct	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/04/01 09:26
S32	65	S26 and (de\$1quantiz\$5 or (inverse adj quantiz\$5)) and (transform\$5) and scal\$3 and ((look\$1up adj table) or LUT)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/04/01 09:26
S33	46	S26 and (de\$1quantiz\$5 or (inverse adj quantiz\$5)) and (transform\$5) and scal\$3 and ((look\$1up adj table) or LUT) and offset	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/04/01 09:28
S34	1	S26 and (de\$1quantiz\$5 or (inverse adj quantiz\$5)) and (transform\$5) and scal\$3 and ((look\$1up adj table) or LUT) and offset and pow	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/04/01 09:28
S35	1	S26 and (de\$1quantiz\$5 or (inverse adj quantiz\$5)) and (transform\$5) and scal\$3 and ((look\$1up adj table) or LUT) and (basis adj vector\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/04/01 10:04
S36	6	S26 and (de\$1quantiz\$5 or (inverse adj quantiz\$5)) and (transform\$5) and scal\$3 and (basis adj vector\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/04/01 10:04
S37	6	S26 and (de\$1quantiz\$5 or (inverse adj quantiz\$5)) and (transform\$5) and (basis adj vector\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/04/01 10:05
S38	0	psuedo\$1dct	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/04/01 10:09

S39	6	pseudo\$1dct	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/04/01 10:09
S40	38	S26 and ((pseudo\$1dct) or (approximat\$3 near2 dct))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/04/01 10:10
S41	0	("8" adj "12" adj "8" adj "10" adj "8")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/04/01 10:19
S42	0	("1" adj "12/8" adj "1" adj "10/8" adj "1")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/04/01 10:19
S43	5	"6473534".pn. "7082450". pn. "5129015".pn. "5539836".pn. "4447886". pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/04/01 14:50
S44	0	(withtout adj multipl\$7) same (DCT or (cosine adj transform))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/04/01 15:37
S45	13	(without adj multipl\$7) same (DCT or (cosine adj transform))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/04/01 15:37
S46	10	("20010031096" "5129015" "5519503" "5523847" "5572236" "5642438" "5957998" "6189021" "6466699"). PN. OR ("7082450").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/04/01 15:40
S47	7	"7242713".pn. "7116830". pn. "7082450".pn. "6473534".pn. "5539836". pn. "5519503".pn. "5864494".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/04/01 16:06
S48	4	S47 and (scal\$4 with coefficient\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/04/01 16:15

S49	4837	"10" with "11" with "12" with "36" with "38" with "43" with "60"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/04/01 17:08
S50	53	("10" with "11" with "12" with "36" with "38" with "43" with "60") same array	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/04/01 17:08
S51	0	("10" with "11" with "12" with "36" with "38" with "43" with "60") same array same quantiz\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/04/01 17:09
S52	6	("10" with "11" with "12" with "36" with "38" with "43" with "60") same quantiz\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/04/01 17:09
S53	0	"(k+O)/12"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/04/01 17:16
S54	5	S45 and (((inverse or reverse) adj2 quantiz\$5) or (de\$1quantiz\$5))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/04/01 17:17
S55	0	S45 and (((inverse or reverse) adj2 quantiz\$5) or (de\$1quantiz\$5)) same (block adj size)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/04/01 17:25
S56	0	"11, 11, 12, 13, 13, 14"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/04/01 17:34
S57	0	"11, 11, 12, 13, 13, 14,"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/04/01 17:34
S58	1	10/670698.app.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/04/01 17:35

S59	0	"[10, 11, 11, 12, 13, 13, 14, 15, 16, 17, 18, 19, 20, 21, 23, 24, 25, 27, 29, 30, 32, 34, 36, 38, 40, 43, 45, 48, 51, 54, 57, 60]"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/04/01 17:36
S60	0	"pow(2, (k+O)/12)"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/04/01 17:36
S61	0	"(k+O)/12)"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/04/01 17:37
S62	1	10/670698.app. and pow	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/04/01 17:38
S63	0	((quantiz\$5 or de\$1quantiz \$5) with ((single or one) adj (array or vector))) same ((block or matrix or transfor\$5) near2 size)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/04/02 08:26
S64	1	((scal\$3) with ((single or one) adj (array or vector))) same ((block or matrix or transfor\$5) near2 size)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/04/02 08:27
S65	364	((quantiz\$5 or de\$1quantiz \$5) with ((array or vector))) same ((block or matrix or transfor\$5) near2 size)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/04/02 08:32
S66	185	mpeg and (((quantiz\$5 or de\$1quantiz\$5) with ((array or vector))) same ((block or matrix or transfor \$5) near2 size))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/04/02 08:33
S67	5	((quantiz\$5 or de\$1quantiz \$5) with (array or vector) with v) same ((block or matrix or transfor\$5) near2 size)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/04/02 08:36
S68	100	((quantiz\$5 or de\$1quantiz \$5) with (array or vector) with coefficient\$1) same ((block or matrix or transfor \$5) near2 size)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/04/02 08:45

S69	4	((quantiz\$5 or de\$1quantiz\$5) with (array or vector) with coefficient\$1) same ((block or matrix or transform\$5) near2 size) same ((("1"\$1d or "1"\$1dimension\$2 or one\$1dimension\$2) with (array or vector))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/04/02 08:46
S70	5	((quantiz\$5 or de\$1quantiz\$5) with (array or vector) with coefficient\$1) same ((block or matrix or transform\$5) near2 size) same ((("1"\$1d or "1"\$1dimension\$2 or one\$1dimension\$2))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/04/02 08:48
S71	1	S70 not S69	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/04/02 09:10
S72	2	((quantiz\$5 or de\$1quantiz\$5) with (LUT or (look\$1up adj table))) same ((block or matrix or transform\$5) near2 size) same ((("1"\$1d or "1"\$1dimension\$2 or one\$1dimension\$2))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/04/02 09:12
S73	25	((quantiz\$5 or de\$1quantiz\$5) with (LUT or (look\$1up adj table))) same ((block or matrix or transform\$5) near2 size)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/04/02 09:12
S74	816342	"7242713" B2 "7116830" B2 "7082450" B2 "64735345539836" "5519503" "5864494"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/04/02 09:44
S75	7	"7242713".pn. "7116830".pn. "7082450".pn. "6473534".pn. "5539836".pn. "5519503".pn. "5864494".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/04/02 09:44
S76	2	S75 and ((block or transform\$5) with size)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/04/02 09:45
S77	352	(quantiz\$5 with (lut or (look\$1up adj table))) and ((block or transform\$5) with size)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/04/02 09:58

S78	0	(quantiz\$5 with (lut or (look \$1 up adj table))) and ((block or transform\$5) with size) and (("4x8" or "4X8" or "4 by 8" or "4-by-8" or "4*8") with ("8x8" or "8X8" or "8 by 8" or "8-by-8" or "8*8") with ("8x4" or "8X4" or "8 by 4" or "8-by-4" or "8*4"))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/04/02 10:00
S79	1	"5129015".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/04/02 11:03
S80	3	S75 and (without adj multiplication)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/04/02 12:27
S81	1	"5129015".pn. and (inverse or IDCT)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/04/02 12:40
S82	65180	mpeg\$14	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/04/02 13:22
S83	9901	mpeg adj "4"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/04/02 13:22
S84	923	(mpeg adj "4") and idct	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/04/02 13:22
S85	82	(mpeg adj "4") and (idct with matrix)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/04/02 13:23
S86	82	((mpeg adj "4") or "mpeg-4" or "MPEG-4") and (idct with matrix)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/04/02 13:23

S87	748	((mpeg adj "4") or "mpeg-4" or "MPEG-4") and (quantiz\$5 with table)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/04/02 13:41
S88	260	((mpeg adj "4") or "mpeg-4" or "MPEG-4") and (quantiz\$5 adj table)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/04/02 13:41
S89	3	((mpeg adj "4") or "mpeg-4" or "MPEG-4") and ((quantiz\$5 adj table) same ((block or matrix or transform\$5) adj size))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/04/02 13:41
S90	2	"1482742".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/04/02 13:53
S91	8	"1482742"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/04/02 13:53
S92	1	"5519503".pn. and (without with multiplication)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/04/02 15:33
S93	11	bossen.in. and dct and mpeg	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/04/03 09:33
S94	8	"7242713".pn. "7116830".pn. "7082450".pn. "6473534".pn. "5539836".pn. "5519503".pn. "5864494".pn. "5129015".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/04/08 08:50
S95	2	S94 and ((software or instructions or program) with (computer or recordable or CRM))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/04/08 08:51
S96	2	S94 and ((software or instructions or program) with (computer or recordable or medium or CRM))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/04/08 08:56

S97	208	382/232,233.ccls. and ("mpeg-4" or "mpeg 4") and ((software or instructions or program) with (computer or recordable or medium or CRM))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/04/08 08:57
S98	4216	382/232,233.ccls. dct and idct and ("mpeg-4" or "mpeg 4") and ((software or instructions or program) with (computer or recordable or medium or CRM))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/04/08 08:57
S99	30	382/232,233.ccls. and dct and idct and ("mpeg-4" or "mpeg 4") and ((software or instructions or program) with (computer or recordable or medium or CRM))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/04/08 08:57
S100	6	(quantization adj parameter) with ((block or matrix) near2 size) with (position or coordinate\$1 or location)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/04/08 09:51
S101	14	wiegand.in. and dct	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/04/08 10:49
S102	1	"7266149".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/04/08 11:04
S103	1	"6574368".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/04/08 13:53

4/ 8/ 2008 5:41:51 PM

C:\Documents and Settings\dzeilberger\My Documents\EAST\Workspaces
\10670698videodecoding.wsp